



# Internal Use Only

An Access Panel  
**Revolution**


# **PALCO**





# **PALCO**

Specialist Building Products



# Introduction

This book has been prepared as an aid and to outline the benefits we offer above and beyond other access panel manufacturers.

Product Development within the access panel industry has been stagnant for many years with access panel manufacturers offering very similar products and very similar levels of service.

However, with the introduction of the FlipFix patented method of access panel fitting as well as our QuickFit panel there is now a clear benefit to the end user when purchasing our range of access panels.

For more information about our FlipFix and QuickFit range of access panels continue to the next pages.

## Contents

Page 1	Introduction
Page 2	FlipFix Non Fire Rated
Page 3	FlipFix Fire rated
Page 4	FlipFix Plasterboard Door
Page 5	QuickFit Metal Door (Wall)
Page 6	QuickFit Metal Door (Ceiling)
Page 7	QuickFit Plasterboard Door (Wall)
Page 8	QuickFit Plasterboard Door (Ceiling)
Page 9	PAL01 Range
Page 10	PAL02 Range
Page 11	Tile Door Panel
Page 12	Plastic Access Panel
Page 13	Lock Guide



# FLIPFIX Metal Door / Dual Purpose

The only stock panel you will ever need

## Benefits

- Suitable for walls and ceilings.
- Removes all additional material costs. e.g. wood, screws and glue.
- The FlipFix panel benefits your dry lining service, plumbing and heating engineers, plus electrical and domestic markets.
- Saves up to 80% of the time taken to fit an Access Panel, up to £25 saving on a 600x600 panel.

## Panels

Picture Frame  
(PF)



Beaded Frame  
(BF)



Flipfix  
Fitting  
Video

## FF/000/MD/PF/BL

(Non Fire Rated)

Size Range:

Your Price:

Features:

150 x 150mm		<ul style="list-style-type: none"> <li>• Metal Faced Dual Purpose Panel</li> <li>• No Fire Rating</li> <li>• Picture Or Beaded Frame</li> <li>• Flipfix Fitting Device</li> <li>• Budget Lock</li> </ul>
200 x 200mm		
300 x 300mm		
450 x 450mm		
550 x 550mm	POA	
600 x 300mm		
600 x 600mm		
900 x 600mm		
1200 x 600mm		



# Metal Door / Dual Purpose

The only stock panel you will ever need

## Benefits

- Supplied with a 2 Hour Fire Rating as standard, therefore reducing the stock needed in branch.
- Suitable for walls and ceilings.
- Removes all additional material costs. e.g. wood, screws and glue.
- The FlipFix panel benefits your dry lining service, plumbing and heating engineers, plus electrical and domestic markets.
- Saves up to 80% of the time taken to fit an Access Panel, up to £25 saving on a 600x600 panel.

## Panels

Picture Frame (PF)



Beaded Frame (BF)



Flipfix Fitting Video



2 Hours Fire Rated

## FF/120/MD/PF/BL

(2 Hours Fire Rated)

Size Range:

Your Price:

Features:

150 x 150mm
200 x 200mm
300 x 300mm
450 x 450mm
550 x 550mm
600 x 300mm
600 x 600mm

POA

- Metal Faced Dual Purpose Panel
- 2 Hour Fire Rating As Standard
- Picture Or Beaded Frame
- Flipfix Fitting Device
- Budget Lock

### Benefits

- Available Fire Rated up to 1 Hour, in walls and ceilings.
- Removes all additional material costs, e.g. wood, screws and glue.
- Fits board sizes from 32mm to 8mm.
- Saves up to 80% of the time taken to fit an access panel, and up to £25 saving on a 600 x 600 panel.
- The FlipFix panel benefits your dry lining service, plumbing and heating engineers, plus electrical and domestic markets.

### Panels



**Picture Frame (PF)**



**Beaded Frame (BF)**



Flipfix Fitting Video



Available Fire Rated

### FF/000/PD/BF/BL (Non Fire Rated)

Size Range:

Your Price:

Features:

200 x 200mm
300 x 300mm
450 x 450mm
550 x 550mm
600 x 300mm
600 x 600mm

POA

<ul style="list-style-type: none"> <li>• Plasterboard Faced Dual Purpose Panel</li> <li>• No Fire Rating</li> <li>• Beaded Frame, Beaded Door</li> <li>• Flipfix Fitting Device</li> <li>• Budget Lock</li> </ul>
---

### FF/060/PD/BF/BL (1 Hour Fire Rated)

Size Range:

Your Price:

Features:

200 x 200mm
300 x 300mm
450 x 450mm
550 x 550mm
600 x 300mm
600 x 600mm

POA

<ul style="list-style-type: none"> <li>• Plasterboard Faced Dual Purpose Panel</li> <li>• Up To 1 Hour Fire Rated</li> <li>• Beaded Frame, Beaded Door</li> <li>• Flipfix Fitting Device</li> <li>• Budget Lock</li> </ul>
--

# QuickFit Metal Door / Wall Panel

## Benefits

- The unique QuickFit hinge system allows you to fit an access panel door in seconds.
- This product is available in sizes up to 2400mm x 1800mm.
- Save time, save money, this panel can save you 30 minutes on fitting times (with a typical 1800mm x 600mm panel).
- The QuickFit panel is project driven, therefore it is a bespoke item with a 3 / 5 day lead time.
- Available up to 2 Hours Fire Rated.
- Available up to 36dB Acoustic Rated.

## Panels

Picture Frame  
(PF)



Beaded Frame  
(BF)



View our  
Fitting  
Video



Acoustic  
Available



Available  
Fire Rated

## PAL51/000/MD/PF/3WL

(Non Fire Rated)

Size Range:

300 x 300mm

to

2400 x 1800mm  
(Double Door)

Your Price:

POA

Features:

- Metal Faced Wall Access Panel
- No Fire Rating
- Picture Or Beaded Frame
- QuickFit Fitting Device
- 3 Way Lock

## PAL51/120/MD/PF/3WL

(2 Hours Fire Rated)

Size Range:

1200 x 300mm

to

2400 x 1800mm  
(Double Door)

Your Price:

POA

Features:

- Metal Faced Wall Access Panel
- Up To 2 Hour Fire Rating
- Picture Or Beaded Frame
- QuickFit Fitting Device
- 3 Way Lock

# QuickFit Metal Door / Ceiling Panel

## Benefits

- The unique QuickFit hinge system allows you to fit an Access Panel Door in seconds.
- This product is available in sizes up to 1200 x 1200mm.
- Save time, save money, this panel can save you 30 minutes on fitting times (with a typical 1200mm x 600mm panel).
- The QuickFit panel is project driven, therefore it is a bespoke item with a 3 / 5 day lead time.
- Available up to 36dB Acoustic Rated.

## Panels

Picture Frame  
(PF)



Beaded Frame  
(BF)



View our  
Fitting  
Video



Acoustic  
Available

## PAL51/000/MD/PF/3WL

(Non Fire Rated)

Size Range:

600 x 600mm

to

1200 x 1200mm  
(Double Door)

Your Price:

POA

Features:


- Metal Faced Ceiling Access Panel
- No Fire Rating
- Picture Or Beaded Frame
- QuickFit Fitting Device
- 3 Way Lock

# QuickFit Plasterboard Door / Wall Panel

## Benefits

- The unique QuickFit hinge system allows you to fit an access panel door in seconds.
- This product is available in sizes up to 2000mm x 1800mm.
- Save time, save money, this panel can save you 30 minutes on fitting times (with a typical 1800mm x 600mm panel).
- The QuickFit panel is project driven, therefore it is a bespoke item with a 3 / 5 day lead time.
- Available up to 2 Hours Fire Rated.
- Available up to 36dB Acoustic Rated.

## Panels



View our  
Fitting  
Video



Acoustic  
Available



Available  
Fire Rated

**Beaded Frame  
(BF)**



## PAL53/000/PD/BF/3WL

(Non Fire Rated)

Size Range:

1200 x 300mm

to

2000 x 1800mm  
(Double Door)

Your Price:

POA

Features:

- Plasterboard Faced Access Panel
- No Fire Rating
- Beaded Frame, Beaded Door
- QuickFit Fitting Device
- 3 Way Lock

## PAL53/060/PD/BF/3WL

(1 Hour Fire Rated)

2000 x 1800 max

Size Range:

300 x 300mm

to

2000 x 1800mm  
(Double Door)

Your Price:

POA

Features:

- Plasterboard Faced Access Panel
- Up To 2 Hour Fire Rating
- Beaded Frame, Beaded Door
- QuickFit Fitting Device
- 3 Way Lock

## PAL53/120/PD/BF/3WL

(2 Hours Fire Rated)

2000 x 600 max

Size Range:

300 x 300mm

to

2000 x 1800mm  
(Double Door)

Your Price:

POA

Features:


- Plasterboard Faced Access Panel
- Up To 2 Hour Fire Rating
- Beaded Frame, Beaded Door
- QuickFit Fitting Device
- 3 Way Lock

# QuickFit Plasterboard Door / Ceiling Panel

## Benefits

- The unique QuickFit hinge system allows you to fit an access panel door in seconds.
- This product is available in sizes up to 1200mm x 1200mm.
- Save time, save money, this panel can save you 30 minutes on fitting times (with a typical 1200mm x 1200mm panel).
- The QuickFit panel is project driven, therefore it is a bespoke item with a 3 / 5 day lead time.
- Available up to 1 Hour Fire Rated.
- Available up to 36dB Acoustic Rated.

## Panels



View our  
Fitting  
Video



Acoustic  
Available



Available  
Fire Rated

**Beaded Frame  
(BF)**



## PAL56/000/PD/BF/BL

(Non Fire Rated)

Size Range:

300 x 300mm

to

1200 x 1200mm  
(Double Door)

Your Price:

POA

Features:

- Plasterboard Faced Access Panel
- No Fire Rating
- Beaded Frame, Beaded Door
- QuickFit Fitting Device
- Budget Lock

## PAL54/060/PD/BF/BL

(1 Hour Fire Rated)

Size Range:

300 x 300mm

to

1200 x 1200mm  
(Double Door)

Your Price:

POA

Features:

- Plasterboard Faced Access Panel
- Up To 1 Hour Fire Rating
- Beaded Frame, Beaded Door
- QuickFit Fitting Device
- 3 Way Lock

# PAL01 Range Metal Door / Dual Purpose

## Benefits

- Metal Faced Dual Purpose Shallow Access Panel with extending fixing tabs.
- Single door unit, powder coated RAL 9010, 30% gloss. The 1st dimension stated is the hinge side.
- Available up to 2 Hours Fire Rated.
- Available up to 30dB Acoustic Rated.
- Can be provided with Picture or Beaded Frame.




View our Fitting Video

## Panels

Picture Frame (PF)



Beaded Frame (BF)



Acoustic Available



Available Air Tight



Available Fire Rated

## PAL01/000/MD/PF/BL

(Non Fire Rated)

Size Range:

300 x 300mm

to

1200 x 600mm

Your Price:

POA

Features:

- Metal Faced Access Panel
- No Fire Rating
- Picture Or Beaded Frame
- Budget Lock

## PAL01/060/MD/PF/BL

(1 Hour Fire Rated)

Size Range:

300 x 300mm

to

1200 x 600mm

Your Price:

POA

Features:

- Metal Faced Access Panel
- Up To 2 Hour Fire Rating
- Picture Or Beaded Frame
- Budget Lock

## PAL01/120/MD/PF/BL

(2 Hours Fire Rated)

Size Range:

300 x 300mm

to

1200 x 600mm

Your Price:

POA

Features:

- Metal Faced Access Panel
- Up To 2 Hour Fire Rating
- Picture Or Beaded Frame
- Budget Lock

# PAL02 Range Metal Door / Ceiling

## Benefits

- Metal Faced ceiling Access Panel, single door unit.
- Powder coated RAL 9010, 30% gloss.
- Available up to 2 Hours Fire Rated.
- The 1st dimension stated is the hinge side.
- Available up to 46dB Acoustic Rated.
- Available in air tight.
- Can be provided with Picture or Beaded Frame.



View our Fitting Video

## Panels

Picture Frame (PF)



Beaded Frame (BF)



Acoustic Available



Available Air Tight



Available Fire Rated

## PAL02/000/MD/PF/3WL

(Non Fire Rated)

Size Range:

1200 x 600mm

to

2400 x 1800mm  
(Double Door)

Your Price:

POA

Features:

- Metal Faced Access Panel
- No Fire Rating
- Picture Or Beaded Frame
- 3 Way Lock

## PAL02/060/MD/PF/3WL

(1 Hour Fire Rated)

Size Range:

1200 x 600mm

to

1175 x 1175mm

Your Price:

POA

Features:

- Metal Faced Access Panel
- Up To 2 Hour Fire Rating
- Picture Or Beaded Frame
- 3 Way Lock

## PAL02/120/MD/PF/3WL

(2 Hours Fire Rated) 1000 x 1000 max

Size Range:

1200 x 600mm

to

1175 x 1175mm

Your Price:

POA

Features:

- Metal Faced Access Panel
- Up To 2 Hour Fire Rating
- Picture Or Beaded Frame
- 3 Way Lock

# Tile Door Panel

## Ceramic Tile Faced Door

www.palcots.co.uk

### Benefits

#### PAL08

Hinged Wall Access Panel, Ceramic Tile Faced Door, Beaded Frame, Single Door Unit, Available Fire Rated or Non Fire Rated with a variety of lock options. 1st dimension stated is the hinge side. Also available as a lift out Door option.

#### PAL14

Lift Out Door Wall Access Panel, Non Fire Rated, Ceramic Tile Faced Door, Beaded Frame, Mini Touch Catch, Single Door Unit, Powder Coated RAL 9010 30% Gloss. Lift Out Panel / 1st dimension stated is the hinge side, where the locks are situated.

### Panels



(PAL08)



(PAL14)



Available  
Fire Rated

### PAL08/000/TD/BF/TC

(Non Fire Rated)

Size Range:

300 x 300mm

x

1200 x 600mm

Your Price:

POA

### PAL08/120/TD/BF/3WL

(2 Hours Fire Rated)

300 x 300 min

Features:

- Ceramic Tile Faced Panel
- Up To 2 Hour Fire Rating
- Beaded Frame
- Touch Catch (Non Fire Rated)
- 3 Way Lock (Fire Rated)

### PAL14/000/TD/BF/TC

(Non Fire Rated)

Size Range:

100 x 100mm

x

600 x 600mm

Your Price:

POA

Features:

- Ceramic Tile Faced Panel
- No Fire Rating
- Beaded Frame
- Touch Catch

# Plastic Panels

## Benefits

Plastic Access Panel supplied with Picture Frame, as well as a Hinged Removable Door. This panel is Non Fire Rated. The first dimension indicates the hinge side.

Please note that these products are not recommended for use in ceilings.

## Panels



**x10** Multipack

## PAL15/000/PL/PF/NL

(Non Fire Rated)

Size Range:

Your Price:

Features:

152 x 102mm

228 x 152mm

203 x 203mm

305 x 305mm

355 x 355mm

457 x 457mm

POA

- Plastic Faced Access Panel
- No Fire Rating
- Picture Frame
- Quick And Easy Installation

# Lock Guide

## Budget Lock



This lock is the standard Access Panel lock. The lock has a mild steel casing with a spring mechanism, and is operated with a Square Key.

## 3 Way Lock



This lock enables the panels to be locked on 3 sides with one key operation. The lock connects with two rods which lock into the sides of the panel.

## 5mm Bit



This lock can be used with the Budget Lock, the 3 Way Lock and the Euro Lock. The insert provides a medium level of security.

## Key Retaining Lock



This can be used with the Budget Lock, the 3 Way Lock and the Euro Lock. The key can only be removed when the panel is locked. This provides a medium level of security.

## Standard Key Lock



Suited Locks are used where a number of Access Panels are required to be opened using the same key formation. One key fits all the locks.

## SL Tamper Proof Lock



This lock is a Tamper Proof Cylindrical Lock. The lock provides a medium level of security, has a chrome finish and protrudes from the face of the panel.

## Slotted Lock



This lock enables the panels to be locked on 3 sides. The lock contains a central tongue, with rods locking in to the sides of the panel, and uses a security key.

## 3 Point Euro Cylinder Lock



This lock is a Chrome Plated Cylindrical Lock. The lock can be operated using either a small coin or a flat bladed screwdriver.

## Touch Catch



This is a Light Duty Touch Catch. The catch is used where the customer wants a clean panel face, or wherever a discreet locking mechanism is required.

# Contact Details

**Palco sales team**

**Tel:** 024 7518 7518

**Email:** [sales@palcouk.com](mailto:sales@palcouk.com)

**Web:** [www.palcouk.com](http://www.palcouk.com)

**Address:**

William House  
Jodrell Street  
Abbey Green  
Nuneaton  
Warwickshire  
CV11 5EG

